

AF
Jm

Attorney's Docket: 008312-0306573
Client Reference: 5HI-03S0702-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re **PATENT APPLICATION** of:

Confirmation Number: 2535

AMAZAKI ET AL.

Application No.: 10/694,350

Group Art Unit: 2125

Filed: October 28, 2003

Examiner: GANDHI, Jayprakash N.

For: **DISPLAY APPARATUS OF INJECTION MOLDING MACHINE**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES


The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:


	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	14	- 20	= 0	x \$ 50.00	= \$ 0.00
INDEP.	4	- 4	= 0	x \$ 200.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM			+	\$ 360.00	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
GRAND TOTAL					\$ 0.00

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

Date: **August 9, 2005**
PILLSBURY WINTHROP SHAW PITTMAN LLP
P.O. Box 10500
McLean, VA 22102
703.905.2097


CHRISTOPHER F. LAIR
Reg. No. 54248



Reply Under 37 C.F.R. §1.116
Expedited Procedure
Technology Center Art Unit 2125

Attorney Docket: 008312-0306573
Client Reference: 5HI-03S0702-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 2535

YAMAZAKI ET AL.

Application No.: 10/694,350

Group Art Unit: 2125

Filed: October 28, 2003

Examiner: GANDHI, JAYPRAKASH N

Title: DISPLAY APPARATUS OF INJECTION MOLDING MACHINE

August 9, 2005

* * * * *

AMENDMENT AFTER FINAL UNDER 37 C.F.R. §1.116

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Final Office Action dated May 23, 2005, the date for response to which is August 23, 2005, please amend the above-identified application as follows: